




**Configuration:**

Details	Spec	Note	Compatibility
- Calibration code:	TCI_ZENOAH_FY60_GRC.ets	All Tuned Zenoah engines	
- Engine type:	G230/240/260/270/290/320		
- Fuel type:	Gasoline, RON 95		
- Mixture oil:	4%		
- Oil type:	Motul 800 off road		
- Ignition system type:	IKEDA-D SCS M2 60mm		
- Active flywheel type:	60mm		
- Fixed advance (mm):	2,5mm (31°)		
- Flywheel airgap:	0,4mm		
- Spark plug type:	NGK Racing CR7 HIX		
- Electrodes distance:	0,6mm		
- Carburetor type:	WT 603B		
- Suction system type:	Light scale		
- Muffler:	Samba Titan		
- Test file name at Dyno:	Not available		
- Ecu compatibility:	TC-I <i>Easy K</i>		
- Active map number:	Original		
- Name of the map 1:	*map #1_60mm	Torque/power with over-rev	
- Name of the map 2:	*map #2_60mm	Torque/power & engine temperature reduction	
- Name of the map 3:	*map #3_60mm	No action	
- Name of the map 4:	*map #4_60mm	No action	
- Name of the map 5:	*map #5_60mm	No action	
- Name of the map 6:	*map #6_60mm	No action	
- Name of the map 7:	*map #7_60mm	No action	
- Name of the map 8:	*map #8_60mm	No action	
	Original	No action	




**Engine Dyno test**

Not available

EcuPlus

Current date: 09/10/2019



© EcuPlus All Rights reserved.